

| | NWWTP | SWWTP | | Microbac | | McCoy & McCoy | | Moss McGraw | |
|-----------------------------------|--------------|--------------|--------------------------------|----------------|---------------------------------------|----------------|---------------------------------------|----------------|---------------------------------------|
| | Annual Total | Annual Total | COMBINED TOTAL | BID PRICE/TEST | TOTAL ANNUAL COST used for evaluation | BID PRICE/TEST | TOTAL ANNUAL COST used for evaluation | BID PRICE/TEST | TOTAL ANNUAL COST used for evaluation |
| Permit Compliance | | | | | | | | | |
| BOD ₅ , EFF | 104 | 208 | 312 | 18 | \$ 5,616.00 | 16 | \$ 4,992.00 | \$ 18.00 | \$ 5,616.00 |
| BOD ₅ , INF | 104 | 468 | 572 | 18 | \$ 10,296.00 | 16 | \$ 9,152.00 | \$ 18.00 | \$ 10,296.00 |
| TSS, EFF | 104 | 208 | 312 | 12 | \$ 3,744.00 | 9 | \$ 2,808.00 | \$ 12.00 | \$ 3,744.00 |
| TSS, INF | 104 | 468 | 572 | 12 | \$ 6,864.00 | 9 | \$ 5,148.00 | \$ 12.00 | \$ 6,864.00 |
| Ammonia as NH ₃ N, EFF | 104 | 468 | 572 | 18 | \$ 10,296.00 | 12 | \$ 6,864.00 | \$ 14.00 | \$ 8,008.00 |
| Ammonia as NH ₃ N, INF | 104 | 156 | 260 | 18 | \$ 4,680.00 | 12 | \$ 3,120.00 | \$ 14.00 | \$ 3,640.00 |
| E. Coli | 52 | 208 | 260 | 25 | \$ 6,500.00 | 22.4 | \$ 5,824.00 | \$ 20.00 | \$ 5,200.00 |
| Total Nitrogen, EFF | 52 | 208 | 260 | 40 | \$ 10,400.00 | 47.25 | \$ 12,285.00 | \$ 39.00 | \$ 10,140.00 |
| Total Nitrogen, INF | 52 | 208 | 260 | 40 | \$ 10,400.00 | 47.25 | \$ 12,285.00 | \$ 39.00 | \$ 10,140.00 |
| Total Phosphorus, EFF | 52 | 208 | 260 | 20 | \$ 5,200.00 | 13 | \$ 3,380.00 | \$ 13.00 | \$ 3,380.00 |
| Total Phosphorus, INF | 52 | 208 | 260 | 20 | \$ 5,200.00 | 13 | \$ 3,380.00 | \$ 13.00 | \$ 3,380.00 |
| Acute WET | 4 | 4 | 8 | 1370 | \$ 10,960.00 | 709.75 | \$ 5,678.00 | \$ 550.00 | \$ 4,400.00 |
| Subtotal 1 | | | Permit Compliance Total | | \$ 90,156.00 | | \$ 74,916.00 | | \$ 74,808.00 |
| Sludge - 503 | | | | | | | | | |
| Arsenic | 6 | 6 | 12 | 10.75 | \$ 129.00 | \$ 9.10 | \$ 109.20 | \$ 19.00 | \$ 228.00 |
| Cadmium | 6 | 6 | 12 | 10.75 | \$ 129.00 | \$ 9.10 | \$ 109.20 | \$ 17.50 | \$ 210.00 |
| Chromium | 6 | 6 | 12 | 10.75 | \$ 129.00 | \$ 9.10 | \$ 109.20 | \$ 17.50 | \$ 210.00 |
| Copper | 6 | 6 | 12 | 10.75 | \$ 129.00 | \$ 9.10 | \$ 109.20 | \$ 17.50 | \$ 210.00 |
| Lead | 6 | 6 | 12 | 10.75 | \$ 129.00 | \$ 9.10 | \$ 109.20 | \$ 17.50 | \$ 210.00 |
| Mercury | 6 | 6 | 12 | 27 | \$ 324.00 | \$ 9.10 | \$ 109.20 | \$ 37.50 | \$ 450.00 |
| Molybdenum | 6 | 6 | 12 | 10.75 | \$ 129.00 | \$ 9.10 | \$ 109.20 | \$ 17.50 | \$ 210.00 |
| Nickel | 6 | 6 | 12 | 10.75 | \$ 129.00 | \$ 9.10 | \$ 109.20 | \$ 17.50 | \$ 210.00 |
| Selenium | 6 | 6 | 12 | 10.75 | \$ 129.00 | \$ 9.10 | \$ 109.20 | \$ 17.50 | \$ 210.00 |
| Zinc | 6 | 6 | 12 | 10.75 | \$ 129.00 | \$ 9.10 | \$ 109.20 | \$ 17.50 | \$ 210.00 |
| Total Phosphorus | 6 | 6 | 12 | 29 | \$ 348.00 | \$ 9.10 | \$ 109.20 | \$ 13.00 | \$ 156.00 |
| pH | 6 | 6 | 12 | 5.5 | \$ 66.00 | \$ 5.00 | \$ 60.00 | \$ 5.00 | \$ 60.00 |
| Total Solids % | 42 | 42 | 84 | 13 | \$ 1,092.00 | \$ 9.00 | \$ 756.00 | \$ 11.00 | \$ 924.00 |
| Fecal Coliforms | 42 | 42 | 84 | 15 | \$ 1,260.00 | \$ 24.00 | \$ 2,016.00 | \$ 14.50 | \$ 1,218.00 |
| Potassium | 6 | 6 | 12 | 10.75 | \$ 129.00 | \$ 9.10 | \$ 109.20 | \$ 17.50 | \$ 210.00 |
| Ammonium (NH ₃ -N) | 6 | 6 | 12 | 19.5 | \$ 234.00 | \$ 50.00 | \$ 600.00 | \$ 14.00 | \$ 168.00 |

| | | | | | | | | | |
|------------------------------|---|---|----|-------------------------|-------------|----------|-------------|----------|-------------|
| Nitrate-Nitrite Nitrogen (N) | 6 | 6 | 12 | 13 | \$ 156.00 | \$ 30.00 | \$ 360.00 | \$ 40.00 | \$ 480.00 |
| TKN | 6 | 6 | 12 | 27 | \$ 324.00 | \$ 22.00 | \$ 264.00 | \$ 40.00 | \$ 480.00 |
| Subtotal 2 | | | | Sludge 503 Total | \$ 5,094.00 | | \$ 5,366.40 | | \$ 6,054.00 |

*Total Solids % must be calculated for each day of sampling to calculate dry wt.

**Fecal Coliforms must be sampled 7x over a 14-day period

| Part D - Scans | (Influent & Effluent) | | | BID PRICE/ TEST | TOTAL ANNUAL COST used for evaluation | BID PRICE/TEST | TOTAL ANNUAL COST used for evaluation | BID PRICE/TEST | TOTAL ANNUAL COST used for evaluation |
|------------------------------------------|-----------------------|---|----|--------------------|------------------------------------------|-------------------|---------------------------------------------|-------------------|---------------------------------------------|
| Temperature (May 1 - October) | 4 | 4 | 8 | 0 | \$ - | \$ 5.00 | \$ 40.00 | \$ 5.00 | \$ 40.00 |
| Temperature (November 1 - April) | 4 | 4 | 8 | 0 | \$ - | \$ 5.00 | \$ 40.00 | \$ 5.00 | \$ 40.00 |
| TKN | 4 | 4 | 8 | 25 | \$ 200.00 | \$ 22.00 | \$ 176.00 | \$ 30.00 | \$ 240.00 |
| Nitrate Plus Nitrite Nitrogen | 4 | 4 | 8 | 40 | \$ 320.00 | \$ 30.00 | \$ 240.00 | \$ 30.00 | \$ 240.00 |
| Oil & Grease | 4 | 4 | 8 | 30 | \$ 240.00 | \$ 32.00 | \$ 256.00 | \$ 45.00 | \$ 360.00 |
| Phosphorus (Total) | 4 | 4 | 8 | 20 | \$ 160.00 | \$ 13.00 | \$ 104.00 | \$ 14.00 | \$ 112.00 |
| TDS | 4 | 4 | 8 | 12 | \$ 96.00 | \$ 9.00 | \$ 72.00 | \$ 13.00 | \$ 104.00 |
| Antimony, Total Recoverable | 4 | 4 | 8 | 10 | \$ 80.00 | \$ 9.10 | \$ 72.80 | \$ 15.00 | \$ 120.00 |
| Arsenic, Total Recoverable | 4 | 4 | 8 | 10 | \$ 80.00 | \$ 9.10 | \$ 72.80 | \$ 15.00 | \$ 120.00 |
| Beryllium, Total Recoverable | 4 | 4 | 8 | 10 | \$ 80.00 | \$ 9.10 | \$ 72.80 | \$ 15.00 | \$ 120.00 |
| Cadmium, Total Recoverable | 4 | 4 | 8 | 10 | \$ 80.00 | \$ 9.10 | \$ 72.80 | \$ 15.00 | \$ 120.00 |
| Chromium, Total Recoverable | 4 | 4 | 8 | 10 | \$ 80.00 | \$ 9.10 | \$ 72.80 | \$ 15.00 | \$ 120.00 |
| Chromium, Hexavalent | 5 | 5 | 10 | 25 | \$ 250.00 | \$ 15.00 | \$ 150.00 | \$ 13.00 | \$ 130.00 |
| Copper, Total Recoverable | 4 | 4 | 8 | 10 | \$ 80.00 | \$ 9.10 | \$ 72.80 | \$ 15.00 | \$ 120.00 |
| Lead, Total Recoverable | 4 | 4 | 8 | 10 | \$ 80.00 | \$ 9.10 | \$ 72.80 | \$ 15.00 | \$ 120.00 |
| Mercury, Total Recoverable | 4 | 4 | 8 | 25 | \$ 200.00 | \$ 40.05 | \$ 320.40 | \$ 180.00 | \$ 1,440.00 |
| Nickel, Total Recoverable | 4 | 4 | 8 | 10 | \$ 80.00 | \$ 9.10 | \$ 72.80 | \$ 15.00 | \$ 120.00 |
| Selenium, Total Recoverable | 4 | 4 | 8 | 10 | \$ 80.00 | \$ 9.10 | \$ 72.80 | \$ 15.00 | \$ 120.00 |
| Silver, Total Recoverable | 4 | 4 | 8 | 10 | \$ 80.00 | \$ 9.10 | \$ 72.80 | \$ 15.00 | \$ 120.00 |
| Thallium, Total Recoverable | 4 | 4 | 8 | 10 | \$ 80.00 | \$ 9.10 | \$ 72.80 | \$ 15.00 | \$ 120.00 |
| Zinc, Total Recoverable | 4 | 4 | 8 | 10 | \$ 80.00 | \$ 9.10 | \$ 72.80 | \$ 15.00 | \$ 120.00 |
| Cyanide, Free (amenable to chlorination) | 6 | 6 | 12 | 65 | \$ 780.00 | \$ 32.50 | \$ 390.00 | \$ 60.00 | \$ 720.00 |
| Phenolic Compounds, Total | 4 | 4 | 8 | 40 | \$ 320.00 | \$ 21.00 | \$ 168.00 | \$ 50.00 | \$ 400.00 |
| Hardness, Total (as CaCO3) | 4 | 4 | 8 | 16.25 | \$ 130.00 | \$ 9.00 | \$ 72.00 | \$ 12.50 | \$ 100.00 |
| Acrolein | 4 | 4 | 8 | 117.75 | \$ 942.00 | \$ 100.00 | \$ 800.00 | \$ 2,500.00 | \$ 20,000.00 |
| Acrylonitrile | 4 | 4 | 8 | | \$ - | | \$ - | | |

| | | | | | | | |
|-----------------------------|---|---|---|------|-----------|-------------|------|
| Benzene | 4 | 4 | 8 | \$ - | \$ 100.00 | \$ 800.00 | \$ - |
| Bromoform | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| Carbon Tetrachloride | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| Chlorobenzene | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| Chlorodibromomethane | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| Chlorethane | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| 2-Chloroethylvinyl ether (m | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| Chloroform | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| Dichlorobromomethane | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| 1,1-Dichloroethane | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| 1,2-Dichloroethane | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| Trans-1,2-Dichloroethylene | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| 1,1-Dichloroethylene | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| 1,2-Dichloropropane | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| 1,3-Dichloropropylene | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| Ethylbenzene (34371) | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| Methyl bromide (Bromometh | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| Methyl chloride (Chlorometh | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| Methylene chloride | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| 1,1,2,2-Tetrachloroethane | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| Tetrachloroethylene | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| Toluene | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| 1,1,1-Trichloroethane | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| 1,1,2-Trichloroethane | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| Trichloroethylene | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| Vinyl chloride | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| p-Chloro-m-cresol | 4 | 4 | 8 | \$ - | \$ 241.40 | \$ 1,931.20 | \$ - |
| 2-Chlorophenol | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| 2,4-Dichlorophenol | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| 2,4-Dimethylphenol | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| 4,6-Dinitro-o-cresol | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| 2,4-Dinitrophenol | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| 2-Nitrophenol | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| 4-Nitrophenol | 4 | 4 | 8 | \$ - | | \$ - | \$ - |
| Pentachlorophenol | 4 | 4 | 8 | \$ - | | \$ - | \$ - |

| | | | | | | | |
|-----------------------------|---|---|---|--------|-------------|------|------|
| Phenol | 4 | 4 | 8 | 43 | \$ 344.00 | \$ - | \$ - |
| 2,4,6-Trichlorophenol | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Acenaphthene | 4 | 4 | 8 | 160.75 | \$ 1,286.00 | \$ - | \$ - |
| Acenaphthylene | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Anthracene | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Benzidine | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Benzo(a)Anthracene | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Benzo(a)pyrene | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| 3,4-Benzofluoranthene | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Benzo(ghi) perylene | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Benzo(k)fluoranthene | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Bis(2-chloroethoxy) metha | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Bis(2-chloroethyl) ether | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Bis(2-chloroisopropyl) ethe | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Bis(2-ethylhexyl) phthalate | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| 4-Bromophenyl phenyl eth | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Butyl benzyl phthalate | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| 2-Chloronaphthalane | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| 4-Chlorophenyl phenyl eth | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Chrysene | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Di-n-butyl phthalate | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Dibenzo(a,h)Anthracene | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| 1,2-Dichlorobenzene | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| 1,3-Dichlorobenzene | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| 1,4-Dichlorobenzene | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| 3,3'-Dichlorobenzidine | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Diethyl phthalate | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Dimethyl phthalate | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| 2,4-Dinitrotoluene | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| 2,6-Dinitrotoluene | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| 1,2-Diphenylhydrazine | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Fluoranthene | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Fluorene | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Hexachlorobenzene | 4 | 4 | 8 | | \$ - | \$ - | \$ - |
| Hexachlorobutadiene | 4 | 4 | 8 | | \$ - | \$ - | \$ - |

| | | | | | | | | | |
|----------------------------|-------------------------------------------------|---|---|--|-------------|--|-------------|--|--------------|
| Hexachlorocyclo-pentadiene | 4 | 4 | 8 | | \$ - | | \$ - | | \$ - |
| Hexachloroethane | 4 | 4 | 8 | | \$ - | | \$ - | | \$ - |
| Indeno(1,2,3-cd) pyrene | 4 | 4 | 8 | | \$ - | | \$ - | | \$ - |
| Isophorone | 4 | 4 | 8 | | \$ - | | \$ - | | \$ - |
| Naphthalene | 4 | 4 | 8 | | \$ - | | \$ - | | \$ - |
| Nitrobenzene | 4 | 4 | 8 | | \$ - | | \$ - | | \$ - |
| N-Nitrosodi-N-propylamine | 4 | 4 | 8 | | \$ - | | \$ - | | \$ - |
| N-Nitrosodimethylamine (N) | 4 | 4 | 8 | | \$ - | | \$ - | | \$ - |
| N-Nitrosodiphenylamine | 4 | 4 | 8 | | \$ - | | \$ - | | \$ - |
| Phenanthrene | 4 | 4 | 8 | | \$ - | | \$ - | | \$ - |
| Pyrene | 4 | 4 | 8 | | \$ - | | \$ - | | \$ - |
| 1,2,4-Trichlorobenzene | 4 | 4 | 8 | | \$ - | | \$ - | | \$ - |
| Subtotal 3 | Part D - Scans (Influent & Effluent) | | | | \$ 6,228.00 | | \$ 6,433.20 | | \$ 25,366.00 |

| Part D - Scans (Sludge) | | | | | BID PRICE/ TEST | TOTAL ANNUAL COST used for evaluation | BID PRICE/TEST | TOTAL ANNUAL COST used for evaluation | BID PRICE/TEST | TOTAL ANNUAL COST used for evaluation |
|--------------------------------|---|---|---|----|--------------------|------------------------------------------|-------------------|---------------------------------------------|-------------------|---------------------------------------------|
| Nitrate-Nitrite | 2 | 2 | 4 | 40 | \$ 160.00 | \$ 30.00 | \$ 120.00 | \$ 40.00 | \$ 160.00 | |
| Phosphate as P | 2 | 2 | 4 | 20 | \$ 80.00 | \$ 14.00 | \$ 56.00 | \$ 19.00 | \$ 76.00 | |
| Cyanide, Amenable | 2 | 2 | 4 | 65 | \$ 260.00 | \$ 32.50 | \$ 130.00 | \$ 60.00 | \$ 240.00 | |
| Chromium, Hexavalent | 2 | 2 | 4 | 25 | \$ 100.00 | \$ 15.00 | \$ 60.00 | \$ 17.50 | \$ 70.00 | |
| Total Nitrogen | 2 | 2 | 4 | 40 | \$ 160.00 | \$ 47.25 | \$ 189.00 | \$ 39.00 | \$ 156.00 | |
| Ammonia Nitrogen | 2 | 2 | 4 | 18 | \$ 72.00 | \$ 12.00 | \$ 48.00 | \$ 15.00 | \$ 60.00 | |
| ORP | 2 | 2 | 4 | 20 | \$ 80.00 | \$ 24.50 | \$ 98.00 | | \$ - | |
| pH | 2 | 2 | 4 | 0 | \$ - | \$ 5.00 | \$ 20.00 | \$ 10.00 | \$ 40.00 | |
| Oil & Grease (Hexane Extr) | 2 | 2 | 4 | 30 | \$ 120.00 | \$ 32.00 | \$ 128.00 | \$ 45.00 | \$ 180.00 | |
| Total Phenol by 4AAP | 2 | 2 | 4 | 40 | \$ 160.00 | \$ 21.00 | \$ 84.00 | \$ 50.00 | \$ 200.00 | |
| Kjeldahl Nitrogen, TKN | 2 | 2 | 4 | 27 | \$ 108.00 | \$ 22.00 | \$ 88.00 | \$ 40.00 | \$ 160.00 | |
| Total Solids | 2 | 2 | 4 | 12 | \$ 48.00 | \$ 9.00 | \$ 36.00 | \$ 11.00 | \$ 44.00 | |
| TPH - Oil & Grease | 2 | 2 | 4 | 40 | \$ 160.00 | \$ 32.00 | \$ 128.00 | \$ 45.00 | \$ 180.00 | |
| Volatile Solids | 2 | 2 | 4 | 14 | \$ 56.00 | \$ 15.00 | \$ 60.00 | \$ 20.00 | \$ 80.00 | |
| Mercury | 2 | 2 | 4 | 40 | \$ 160.00 | \$ 40.05 | \$ 160.20 | \$ 37.50 | \$ 150.00 | |
| Antimony | 2 | 2 | 4 | 10 | \$ 40.00 | \$ 9.10 | \$ 36.40 | \$ 17.50 | \$ 70.00 | |
| Arsenic | 2 | 2 | 4 | 10 | \$ 40.00 | \$ 9.10 | \$ 36.40 | \$ 17.50 | \$ 70.00 | |

| | | | | | | | | | |
|-------------------|--------------------------------|---|---|----|-------------|---------|-------------|----------|-------------|
| Beryllium | 2 | 2 | 4 | 10 | \$ 40.00 | \$ 9.10 | \$ 36.40 | \$ 17.50 | \$ 70.00 |
| Cadmium | 2 | 2 | 4 | 10 | \$ 40.00 | \$ 9.10 | \$ 36.40 | \$ 17.50 | \$ 70.00 |
| Chromium | 2 | 2 | 4 | 10 | \$ 40.00 | \$ 9.10 | \$ 36.40 | \$ 17.50 | \$ 70.00 |
| Copper | 2 | 2 | 4 | 10 | \$ 40.00 | \$ 9.10 | \$ 36.40 | \$ 17.50 | \$ 70.00 |
| Iron | 2 | 2 | 4 | 10 | \$ 40.00 | \$ 9.10 | \$ 36.40 | \$ 17.50 | \$ 70.00 |
| Lead | 2 | 2 | 4 | 10 | \$ 40.00 | \$ 9.10 | \$ 36.40 | \$ 17.50 | \$ 70.00 |
| Molybdenum | 2 | 2 | 4 | 10 | \$ 40.00 | \$ 9.10 | \$ 36.40 | \$ 17.50 | \$ 70.00 |
| Nickel | 2 | 2 | 4 | 10 | \$ 40.00 | \$ 9.10 | \$ 36.40 | \$ 17.50 | \$ 70.00 |
| Potassium | 2 | 2 | 4 | 10 | \$ 40.00 | \$ 9.10 | \$ 36.40 | \$ 17.50 | \$ 70.00 |
| Selenium | 2 | 2 | 4 | 10 | \$ 40.00 | \$ 9.10 | \$ 36.40 | \$ 17.50 | \$ 70.00 |
| Silver | 2 | 2 | 4 | 10 | \$ 40.00 | \$ 9.10 | \$ 36.40 | \$ 17.50 | \$ 70.00 |
| Thallium | 2 | 2 | 4 | 10 | \$ 40.00 | \$ 9.10 | \$ 36.40 | \$ 17.50 | \$ 70.00 |
| Zinc | 2 | 2 | 4 | 10 | \$ 40.00 | \$ 9.10 | \$ 36.40 | \$ 17.50 | \$ 70.00 |
| Subtotal 3 | Part D - Scans (Sludge) | | | | \$ 2,324.00 | | \$ 1,951.20 | | \$ 2,846.00 |

| | | Microbac |
|-----------------------------------------|--------------------------------------|-----------------|
| Subtotal 1 | Permit Compliance Total | 90156 |
| Subtotal 2 | Sludge 503 Total | 5094 |
| Subtotal 3 | Part D - Scans (Influent & Effluent) | 6228 |
| Subtotal 4 | Part D - Scans (Sludge) | 2324 |
| Total Cost - Used for Evaluation | | \$ 103,802.00 |

| McCoy & McCoy |
|--------------------------|
| 74916 |
| 5366.4 |
| 6433.2 |
| 1951.2 |
| \$ 88,666.80 |

| Moss McGraw |
|--------------------|
| 74808 |
| 6054 |
| 25366 |
| 2846 |
| \$ 109,074.00 |